

Version 7 (content_v7.xml)	Version 8 (content_v8.xml)	Version 9 (content_v9.xml)
TABLE (descriptor name)	TABLE (descriptor name)	TABLE (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
TNAME	TNAME	TNAME
CREATOR	CREATOR	CREATOR
CORRELATION_NAME	CORRELATION_NAME	CORRELATION_NAME
TABLE_TYPE	TABLE_TYPE	TABLE_TYPE
TABNO	TABNO	TABNO
BIND_TIME	BIND_TIME	BIND_TIME
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
ONECOMPROWS	ONECOMPROWS	ONECOMPROWS
SYSIBM.SYSTABLES	SYSIBM.SYSTABLES	SYSIBM.SYSTABLES
TYPE	TYPE	TYPE
TSNAME	TSNAME	TSNAME
DBNAME	DBNAME	DBNAME
STATSTIME	STATSTIME	STATSTIME
CARDF	CARDF	CARDF
NPAGES	NPAGES	NPAGES
PCTROWCOMP	PCTROWCOMP	PCTROWCOMP
PCTPAGES	PCTPAGES	PCTPAGES
RECLENGTH	RECLENGTH	RECLENGTH
COLCOUNT	COLCOUNT	COLCOUNT
KEYCOLUMNS	KEYCOLUMNS	KEYCOLUMNS
STATUS	STATUS	STATUS
EDPROC	EDPROC	EDPROC
PARENTS	PARENTS	PARENTS
CHILDREN	CHILDREN	CHILDREN
ENCODING_SCHEME	ENCODING_SCHEME	ENCODING_SCHEME
SPACEF	SPACEF	SPACEF
AVGROWLEN	AVGROWLEN	AVGROWLEN
	PARTKEYCOLNUM	PARTKEYCOLNUM
	NUM_DEP_MQTS	NUM_DEP_MQTS
		APPEND
TABLE_FUNCTION (descriptor name)	TABLE_FUNCTION (descriptor name)	TABLE_FUNCTION (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE

TNAME	TNAME	TNAME
TABNO	TABNO	TABNO
BIND_TIME	BIND_TIME	BIND_TIME
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
ONECOMPROWS	ONECOMPROWS	ONECOMPROWS
SYSIBM.SYSROUTINES	SYSIBM.SYSROUTINES	SYSIBM.SYSROUTINES
SCHEMA	SCHEMA	SCHEMA
SPECIFICNAME	SPECIFICNAME	SPECIFICNAME
CARDINALITY	CARDINALITY	CARDINALITY
RESULT_COLS	RESULT_COLS	RESULT_COLS
BUFFER_TABLE (descriptor name)	BUFFER_TABLE (descriptor name)	BUFFER_TABLE (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
TNAME	TNAME	TNAME
CREATOR	CREATOR	CREATOR
TABNO	TABNO	TABNO
BIND_TIME	BIND_TIME	BIND_TIME
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS	DMSROWS	DMSROWS
ONECOMPROWS	ONECOMPROWS	ONECOMPROWS
COLUMN (descriptor name)	COLUMN (descriptor name)	COLUMN (descriptor name)
SYSIBM.SYSCOLUMNS	SYSIBM.SYSCOLUMNS	SYSIBM.SYSCOLUMNS
NAME	NAME	NAME
STATSTIME	STATSTIME	STATSTIME
COLCARDF	COLCARDF	COLCARDF
HIGH2KEY	HIGH2KEY	HIGH2KEY
LOW2KEY	LOW2KEY	LOW2KEY
COLNO	COLNO	COLNO
COLTYPE	COLTYPE	COLTYPE
COLSTATUS	COLSTATUS	COLSTATUS
LENGTH	LENGTH	LENGTH
SCALE	SCALE	SCALE
NULLS	NULLS	NULLS
UPDATES	UPDATES	UPDATES

KEYSEQ	KEYSEQ	KEYSEQ
LENGTH2	LENGTH2	LENGTH2
DEFAULT	DEFAULT	DEFAULT
	PARTKEY_COLSEQ	PARTKEY_COLSEQ
	PARTKEY_ORDERING	PARTKEY_ORDERING
	CCSID	CCSID
DEFAULTVALUE	DEFAULTVALUE	DEFAULTVALUE
FOREIGNKEY	FOREIGNKEY	FOREIGNKEY
	STATS_FORMAT	STATS_FORMAT
FLDPROC	FLDPROC	FLDPROC
BIND_TIME (derived)	BIND_TIME (derived)	BIND_TIME (derived)
TABLESPACE (descriptor name)	TABLESPACE (descriptor name)	TABLESPACE (descriptor name)
SYSIBM.SYSTABLESPACE	SYSIBM.SYSTABLESPACE	SYSIBM.SYSTABLESPACE
NAME	NAME	NAME
CREATOR	CREATOR	CREATOR
DBNAME	DBNAME	DBNAME
STATSTIME	STATSTIME	STATSTIME
NACTIVEF	NACTIVEF	NACTIVEF
BPOOL	BPOOL	BPOOL
PARTITIONS	PARTITIONS	PARTITIONS
LOCKMAX	LOCKMAX	LOCKMAX
LOCKPART	LOCKPART	LOCKPART
LOCKRULE	LOCKRULE	LOCKRULE
CLOSERULE	CLOSERULE	CLOSERULE
ERASERULE	ERASERULE	ERASERULE
IMPLICIT	IMPLICIT	IMPLICIT
NTABLES	NTABLES	NTABLES
ENCODING_SCHEME	ENCODING_SCHEME	ENCODING_SCHEME
LOG	LOG	LOG
TYPE	TYPE	TYPE
STATUS	STATUS	STATUS
PGSIZE	PGSIZE	PGSIZE
SEGSIZE	SEGSIZE	SEGSIZE
SBCS_CCSID	SBCS_CCSID	SBCS_CCSID
DBCS_CCSID	DBCS_CCSID	DBCS_CCSID
MIXED_CCSID	MIXED_CCSID	MIXED_CCSID
MAXROWS	MAXROWS	MAXROWS

DSSIZE	DSSIZE	DSSIZE
SPACETYPE (derived)	SPACETYPE (derived)	SPACETYPE (derived)
BIND_TIME (derived)	BIND_TIME (derived)	BIND_TIME (derived)
		MAXPARTITIONS
		CLONE
TABLEPART (descriptor name)	TABLEPART (descriptor name)	TABLEPART (descriptor name)
SYSIBM.SYSTABLEPART	SYSIBM.SYSTABLEPART	SYSIBM.SYSTABLEPART
	LOGICAL_PART	LOGICAL_PART
PARTITION	LIMITKEY	LIMITKEY
LIMITKEY	PARTITION	PARTITION
IXCREATOR	IXCREATOR	IXCREATOR
IXNAME	IXNAME	IXNAME
SYSIBM.SYSTABSTATS	SYSIBM.SYSTABSTATS	SYSIBM.SYSTABSTATS
STATSTIME	STATSTIME	STATSTIME
CARDF	CARDF	CARDF
NPAGES	NPAGES	NPAGES
BIND_TIME (derived)	BIND_TIME (derived)	BIND_TIME (derived)
	REFERENCE_TABLE (descriptor name)	REFERENCE_TABLE (descriptor name)
	PLAN_TABLE	PLAN_TABLE
	TNAME	TNAME
	CREATOR	CREATOR
	CORRELATION_NAME	CORRELATION_NAME
	TABLE_TYPE	TABLE_TYPE
	TABNO	TABNO
	BIND_TIME	BIND_TIME
INDEX (descriptor name)	INDEX (descriptor name)	INDEX (descriptor name)
SYSIBM.SYSINDEXES	SYSIBM.SYSINDEXES	SYSIBM.SYSINDEXES
NAME	NAME	NAME
CREATOR	CREATOR	CREATOR
STATSTIME	STATSTIME	STATSTIME
UNIQUERULE	UNIQUERULE	UNIQUERULE
CLUSTERING	CLUSTERING	CLUSTERING
CLUSTERRATIOF	CLUSTERRATIOF	CLUSTERRATIOF
FIRSTKEYCARD	FIRSTKEYCARD	FIRSTKEYCARD

FULLKEYCARDF	FULLKEYCARDF	FULLKEYCARDF
NLEAF	NLEAF	NLEAF
NLEVELS	NLEVELS	NLEVELS
CLUSTERED	CLUSTERED	CLUSTERED
COLCOUNT	COLCOUNT	COLCOUNT
INDEXSPACE	INDEXSPACE	INDEXSPACE
BPOOL	BPOOL	BPOOL
PGSIZE	PGSIZE	PGSIZE
	PADDED	PADDED
INDEXTYPE	INDEXTYPE	INDEXTYPE
ERASERULE	ERASERULE	ERASERULE
CLOSERULE	CLOSERULE	CLOSERULE
PIECESIZE	PIECESIZE	PIECESIZE
SPACE	SPACE	SPACE
BIND_TIME (derived)	BIND_TIME (derived)	BIND_TIME (derived)
TBNAME	TBNAME	TBNAME
		IX_EXTENSION_TYPE
		COMPRESS
		DATAREPEATFACTORF
		VIRTUAL_INDEX (descriptor name)
		DSN_VIRTUAL_INDEXES
		TBNAME
		TBCREATOR
		ENABLE
		MODE
		IXNAME
		IXCREATOR
		UNIQUERULE
		CLUSTERING
		CLUSTERRATIOF
		FIRSTKEYCARDF
		FULLKEYCARDF
		NLEAF
		NLEVELS
		COLCOUNT
		PGSIZE
		PADDED

		INDEXTYPE
		BIND_TIME (derived)
INDEXKEY (descriptor name)	INDEXKEY (descriptor name)	INDEXKEY (descriptor name)
SYSIBM.SYSKEYS	SYSIBM.SYSKEYS	SYSIBM.SYSKEYS
COLNAME	COLNAME	COLNAME
COLSEQ	COLSEQ	COLSEQ
ORDERING	ORDERING	ORDERING
		INDEXKEY_TARGET (descriptor name)
		SYSIBM.SYSKEYTARGETS
		KEYSEQ
		COLNO
		TYPENAME
		DERIVED_FROM
		LENGTH
		ORDERING
COLDIST (descriptor name)	COLDIST (descriptor name)	COLDIST (descriptor name)
SYSIBM.SYSCOLDIST	SYSIBM.SYSCOLDIST	SYSIBM.SYSCOLDIST
STATSTIME	STATSTIME	STATSTIME
COLVALUE	COLVALUE	COLVALUE
FREQUENCY	FREQUENCY	FREQUENCY
	TYPE	TYPE
		QUANTILENO
		LOWVALUE
		HIGHVALUE
		CARDF
		HISTOGRAM (descriptor name)
		SYSIBM.SYSCOLDIST
		QUANTILENO
		LOWVALUE
		HIGHVALUE
		CARDF
		FREQUENCYF
		TYPE
		STATSTIME

		MCOLHISTOGRAM (descriptor name)
		SYSIBM.SYSCOLDIST
		NUMCOLUMNS
		QUANTILENO
		LOWVALUE
		HIGHVALUE
		CARDF
		FREQUENCYF
		TYPE
		STATSTIME
		COLGROUPOCOLNO
MCOLDIST (descriptor name)	MCOLDIST (descriptor name)	MCOLDIST (descriptor name)
SYSIBM.SYSCOLDIST	SYSIBM.SYSCOLDIST	SYSIBM.SYSCOLDIST
COLGROUPOCOLNO	COLGROUPOCOLNO	COLGROUPOCOLNO
COLVALUE	COLVALUE	COLVALUE
FREQUENCYF	FREQUENCYF	FREQUENCYF
STATSTIME	STATSTIME	STATSTIME
NUMCOLUMNS	NUMCOLUMNS	NUMCOLUMNS
TYPE	TYPE	TYPE
CARDF	CARDF	CARDF
MCOLSTATS (descriptor name)	MCOLSTATS (descriptor name)	MCOLSTATS (descriptor name)
SYSIBM.SYSCOLDIST	SYSIBM.SYSCOLDIST	SYSIBM.SYSCOLDIST
STATSTIME	STATSTIME	STATSTIME
COLGROUPOCOLNO	COLGROUPOCOLNO	COLGROUPOCOLNO
NUMCOLUMNS	NUMCOLUMNS	NUMCOLUMNS
CARDF	CARDF	CARDF
RSCAN_NO_JOIN (descriptor name)	RSCAN_NO_JOIN (descriptor name)	RSCAN_NO_JOIN (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
PREFETCH	PREFETCH	PREFETCH
PAGE_RANGE	PAGE_RANGE	PAGE_RANGE
PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE
TSLOCKMODE	TSLOCKMODE	TSLOCKMODE
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE

DMSROWS	DMSROWS	DMSROWS
DMROWS	DMROWS	DMROWS
RDSROW	RDSROW	RDSROW
COMPCARD	COMPCARD	COMPCARD
DMCOLS	DMCOLS	DMCOLS
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
		SYSDIBM.DSN_OBJECT_RUNTIME_INFO
		PROCESSED_ROWS
		LOOKAT_ROWS
		DMROWS
		RDSROWS
RSCAN_WITH_JOIN_NO_SORT (descriptor name)	RSCAN_WITH_JOIN_NO_SORT (descriptor name)	RSCAN_WITH_JOIN_NO_SORT (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
PREFETCH	PREFETCH	PREFETCH
PAGE_RANGE	PAGE_RANGE	PAGE_RANGE
PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE
TSLOCKMODE	TSLOCKMODE	TSLOCKMODE
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS	DMSROWS	DMSROWS
DMROWS	DMROWS	DMROWS
RDSROW	RDSROW	RDSROW
DMCOLS	DMCOLS	DMCOLS
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
		SYSDIBM.DSN_OBJECT_RUNTIME_INFO
		PROCESSED_ROWS
		LOOKAT_ROWS
		DMROWS
		RDSROWS
RSCAN_WITH_JOIN_WITH_SORT (descriptor name)	RSCAN_WITH_JOIN_WITH_SORT (descriptor name)	RSCAN_WITH_JOIN_WITH_SORT (descriptor name)

PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
PREFETCH	PREFETCH	PREFETCH
PAGE_RANGE	PAGE_RANGE	PAGE_RANGE
PRIMARY_ACESSTYPE	PRIMARY_ACESSTYPE	PRIMARY_ACESSTYPE
TSLOCKMODE	TSLOCKMODE	TSLOCKMODE
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS	DMSROWS	DMSROWS
DMROWS	DMROWS	DMROWS
RDSROW	RDSROW	RDSROW
DMCOLS	DMCOLS	DMCOLS
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
		SYSIBM.DSN_OBJECT_RUNTIME_INFO
		PROCESSED_ROWS
		LOOKAT_ROWS
		DMROWS
		RDSROWS
	RID_FETCH (descriptor name)	RID_FETCH (descriptor name)
	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
	DMSROWS	DMSROWS
	DMROWS	DMROWS
	RDSROW	RDSROW
	COMPCARD	COMPCARD
	DMCOLS	DMCOLS
CTE_TABLE (descriptor name)	CTE_TABLE (descriptor name)	CTE_TABLE (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
TNAME	TNAME	TNAME
CREATOR	CREATOR	CREATOR
CTEREF	CTEREF	CTEREF
TABNO	TABNO	TABNO
BIND_TIME	BIND_TIME	BIND_TIME
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE

DMSROWS	DMSROWS	DMSROWS
ONECOMPROWS	ONECOMPROWS	ONECOMPROWS
WFSCAN_NEWTABLE_WITH_JOIN (descriptor name)	WFSCAN_NEWTABLE_WITH_JOIN (descriptor name)	WFSCAN_NEWTABLE_WITH_JOIN (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
WFSCAN_COMPOSITE_WITH_JOIN (descriptor name)	WFSCAN_COMPOSITE_WITH_JOIN (descriptor name)	WFSCAN_COMPOSITE_WITH_JOIN (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
WFSCAN_FOR_HYBRID_JOIN (descriptor name)	WFSCAN_FOR_HYBRID_JOIN (descriptor name)	WFSCAN_FOR_HYBRID_JOIN (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
WFSCAN_COMPOSITE_NO_JOIN (descriptor name)	WFSCAN_COMPOSITE_NO_JOIN (descriptor name)	WFSCAN_COMPOSITE_NO_JOIN (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
COMPCARD	COMPCARD	COMPCARD
WFSCAN_FOR_UNION_SORT (descriptor name)	WFSCAN_FOR_UNION_SORT (descriptor name)	WFSCAN_FOR_UNION_SORT (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
		WFSCAN_FOR_EXCEPT_SORT (descriptor name)
		DSN_DETCOST_TABLE
		PREVCARDINALITY (derived)
		WFSCAN_FOR_INTERSECT_SORT (descriptor name)
		DSN_DETCOST_TABLE
		PREVCARDINALITY (derived)
PREDICATE (descriptor name)	PREDICATE (descriptor name)	PREDICATE (descriptor name)
DSN_PREDICAT_TABLE	DSN_PREDICAT_TABLE	DSN_PREDICAT_TABLE

FILTER_FACTOR	FILTER_FACTOR	FILTER_FACTOR
FFSOURCE (derived)	FFSOURCE (derived)	FFSOURCE (derived)
COSTING (derived)	COSTING (derived)	COSTING (derived)
TYPE	TYPE	TYPE
SEARCHARG	*** REMOVED ***	
MARKER	MARKER	MARKER
BOOLEAN_TERM	BOOLEAN_TERM	BOOLEAN_TERM
JOIN	JOIN	JOIN
AFTER_JOIN	AFTER_JOIN	AFTER_JOIN
LEFT_HAND_SIDE	LEFT_HAND_SIDE	LEFT_HAND_SIDE
RIGHT_HAND_SIDE	RIGHT_HAND_SIDE	RIGHT_HAND_SIDE
DIRECT_ACCESS	DIRECT_ACCESS	DIRECT_ACCESS
KEYFIELD	KEYFIELD	KEYFIELD
ADDED_PRED	ADDED_PRED	ADDED_PRED
REDUNDANT_PRED	REDUNDANT_PRED	REDUNDANT_PRED
LHS_QBNO	LHS_QBNO	LHS_QBNO
LHS_TABNO	LHS_TABNO	LHS_TABNO
RHS_QBNO	RHS_QBNO	RHS_QBNO
RHS_TABNO	RHS_TABNO	RHS_TABNO
PREDNO	PREDNO	PREDNO
TEXT	TEXT	TEXT
LHS_CARDINALITY (derived)	LHS_CARDINALITY (derived)	LHS_CARDINALITY (derived)
RHS_CARDINALITY (derived)	RHS_CARDINALITY (derived)	RHS_CARDINALITY (derived)
DSN_FILTER_TABLE	DSN_FILTER_TABLE	DSN_FILTER_TABLE
STAGE	STAGE	STAGE
ORDERNO	ORDERNO	ORDERNO
FETCH_NO_JOIN (descriptor name)	FETCH_NO_JOIN (descriptor name)	FETCH_NO_JOIN (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
PAGE_RANGE	PAGE_RANGE	PAGE_RANGE
PREFETCH	PREFETCH	PREFETCH
PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE
TSLOCKMODE	TSLOCKMODE	TSLOCKMODE
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS	DMSROWS	DMSROWS
DMROWS	DMROWS	DMROWS

RDSROW	RDSROW	RDSROW
COMPCARD	COMPCARD	COMPCARD
DMCOLS	DMCOLS	DMCOLS
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
FETCH_WITH_JOIN_NO_SORT (descriptor name)	FETCH_WITH_JOIN_NO_SORT (descriptor name)	FETCH_WITH_JOIN_NO_SORT (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
PAGE_RANGE	PAGE_RANGE	PAGE_RANGE
PREFETCH	PREFETCH	PREFETCH
PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE
TSLOCKMODE	TSLOCKMODE	TSLOCKMODE
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS	DMSROWS	DMSROWS
DMROWS	DMROWS	DMROWS
RDSROW	RDSROW	RDSROW
DMCOLS	DMCOLS	DMCOLS
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
FETCH_WITH_JOIN_WITH_SORT (descriptor name)	FETCH_WITH_JOIN_WITH_SORT (descriptor name)	FETCH_WITH_JOIN_WITH_SORT (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
PAGE_RANGE	PAGE_RANGE	PAGE_RANGE
PREFETCH	PREFETCH	PREFETCH
PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE	PRIMARY_ACCESSTYPE
TSLOCKMODE	TSLOCKMODE	TSLOCKMODE
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS	DMSROWS	DMSROWS
DMROWS	DMROWS	DMROWS
RDSROW	RDSROW	RDSROW
DMCOLS	DMCOLS	DMCOLS
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)

ISCAN_NO_JOIN (descriptor name)	ISCAN_NO_JOIN (descriptor name)	ISCAN_NO_JOIN (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
ACCESSTYPE	ACCESSTYPE	ACCESSTYPE
MATCHCOLS	MATCHCOLS	MATCHCOLS
	PREFETCH	PREFETCH
INDEXONLY	INDEXONLY	**** REMOVED ****
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
TABLECARDF (derived)	TABLECARDF (derived)	TABLECARDF (derived)
IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)
DMSROWS	DMSROWS	DMSROWS
COMPCARD	COMPCARD	COMPCARD
IMPREFH	**** REMOVED ****	
IMLEAF	IMLEAF	IMLEAF
IMFF	IMFF	IMFF
IMFFADJ	IMFFADJ	IMFFADJ
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
LEAFPAGES (derived)	LEAFPAGES (derived)	LEAFPAGES (derived)
ISCAN_WITH_JOIN_WITH_FETCH (descriptor name)	ISCAN_WITH_JOIN_WITH_FETCH (descriptor name)	ISCAN_WITH_JOIN_WITH_FETCH (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
ACCESSTYPE	ACCESSTYPE	ACCESSTYPE
MATCHCOLS	MATCHCOLS	MATCHCOLS
INDEXONLY	INDEXONLY	**** REMOVED ****
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
TABLECARDF (derived)	TABLECARDF (derived)	TABLECARDF (derived)
IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)
DMSROWS	DMSROWS	DMSROWS
IMPREFH	**** REMOVED ****	
IMLEAF	IMLEAF	IMLEAF
IMFF	IMFF	IMFF
IMFFADJ	IMFFADJ	IMFFADJ
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)

QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
LEAFPAGES (derived)	LEAFPAGES (derived)	LEAFPAGES (derived)
ISCAN_WITH_JOIN_NO_FETCH (descriptor name)	ISCAN_WITH_JOIN_NO_FETCH (descriptor name)	ISCAN_WITH_JOIN_NO_FETCH (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
ACCESSTYPE	ACCESSTYPE	ACCESSTYPE
MATCHCOLS	MATCHCOLS	MATCHCOLS
	PREFETCH	PREFETCH
INDEXONLY	INDEXONLY	**** REMOVED ****
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
TABLECARDF (derived)	TABLECARDF (derived)	TABLECARDF (derived)
IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)
DMSROWS	DMSROWS	DMSROWS
IMPREFH	**** REMOVED ****	
IMLEAF	IMLEAF	IMLEAF
IMFF	IMFF	IMFF
IMFFADJ	IMFFADJ	IMFFADJ
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)
QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
LEAFPAGES (derived)	LEAFPAGES (derived)	LEAFPAGES (derived)
ISCAN_FOR_MULTIINDEXES (descriptor name)	ISCAN_FOR_MULTIINDEXES (descriptor name)	ISCAN_FOR_MULTIINDEXES (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
	PREFETCH	PREFETCH
ACCESSTYPE	ACCESSTYPE	ACCESSTYPE
MATCHCOLS	MATCHCOLS	MATCHCOLS
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
TABLECARDF (derived)	TABLECARDF (derived)	TABLECARDF (derived)
IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)
IMPREFH	**** REMOVED ****	
IMLEAF	IMLEAF	IMLEAF
IMFF	IMFF	IMFF
IMFFADJ	IMFFADJ	IMFFADJ
NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)	NUM_QUALIFI_PARTS (derived)
NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)	NUM_TOT_PARTS (derived)

QUALIFI_PART (derived)	QUALIFI_PART (derived)	QUALIFI_PART (derived)
LEAFPAGES (derived)	LEAFPAGES (derived)	LEAFPAGES (derived)
JOIN (descriptor name)	JOIN (descriptor name)	JOIN (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
JOIN_TYPE	JOIN_TYPE	JOIN_TYPE
MERGE_JOIN_COLS	MERGE_JOIN_COLS	MERGE_JOIN_COLS
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
COMPCARD	COMPCARD	COMPCARD
SORT_COMPOSITE (descriptor name)	SORT_COMPOSITE (descriptor name)	SORT_COMPOSITE (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
SCROWS	SCROWS	SCROWS
SCPAGES	SCPAGES	SCPAGES
SCRUNS	SCRUNS	SCRUNS
SCMERGES	SCMERGES	SCMERGES
SCCOLS	SCCOLS	SCCOLS
SCRECSZ	SCRECSZ	SCRECSZ
DSN_SORT_TABLE	DSN_SORT_TABLE	DSN_SORT_TABLE
KEYSIZE	KEYSIZE	KEYSIZE
SORT_COMPOSITE_NO_JOIN (descriptor name)	SORT_COMPOSITE_NO_JOIN (descriptor name)	SORT_COMPOSITE_NO_JOIN (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
COMPCARD	COMPCARD	COMPCARD
SCPAGES	SCPAGES	SCPAGES
SCRUNS	SCRUNS	SCRUNS
SCMERGES	SCMERGES	SCMERGES
SCCOLS	SCCOLS	SCCOLS
SCRECSZ	SCRECSZ	SCRECSZ
DSN_SORT_TABLE	DSN_SORT_TABLE	DSN_SORT_TABLE
KEYSIZE	KEYSIZE	KEYSIZE
SORT_NEWTABLE (descriptor name)	SORT_NEWTABLE (descriptor name)	SORT_NEWTABLE (descriptor name)

DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
SNROWS	SNROWS	SNROWS
SNPAGES	SNPAGES	SNPAGES
SNRUNS	SNRUNS	SNRUNS
SNMERGES	SNMERGES	SNMERGES
SNCOLS	SNCOLS	SNCOLS
SNRECSZ	SNRECSZ	SNRECSZ
DSN_SORT_TABLE	DSN_SORT_TABLE	DSN_SORT_TABLE
KEYSIZE	KEYSIZE	KEYSIZE
SORTKEY (descriptor name)	SORTKEY (descriptor name)	SORTKEY (descriptor name)
DSN_SORTKEY_TABLE	DSN_SORTKEY_TABLE	DSN_SORTKEY_TABLE
ORDERNO	ORDERNO	ORDERNO
TEXT	TEXT	TEXT
DATATYPE	DATATYPE	DATATYPE
LENGTH	LENGTH	LENGTH
EXPTYPE	EXPTYPE	EXPTYPE
SORTRID (descriptor name)	SORTRID (descriptor name)	SORTRID (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
SORT_FOR_UNION (descriptor name)	SORT_FOR_UNION (descriptor name)	SORT_FOR_UNION (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
		SORT_FOR_EXCEPT (descriptor name)
		DSN_DETCOST_TABLE
		PREVCARDINALITY (derived)
		SORT_FOR_INTERSECT (descriptor name)
		DSN_DETCOST_TABLE
		PREVCARDINALITY (derived)
QUERYBLOCK (descriptor name)	QUERYBLOCK (descriptor name)	QUERYBLOCK (descriptor name)
DSN_STRUCT_TABLE	DSN_STRUCT_TABLE	DSN_STRUCT_TABLE

QBLOCKNO	QBLOCKNO	QBLOCKNO
QBLOCK_TYPE	QBLOCK_TYPE	QBLOCK_TYPE
CONTEXT	CONTEXT	CONTEXT
PARENT	PARENT	PARENT
DOATOPEN_PARENT	DOATOPEN_PARENT	DOATOPEN_PARENT
ATOPEN	ATOPEN	ATOPEN
TIMES	TIMES	TIMES
	ROWCOUNT	ROWCOUNT
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
QUERY (descriptor name)	QUERY (descriptor name)	QUERY (descriptor name)
DSN_STATEMENT_TABLE	DSN_STATEMENT_TABLE	DSN_STATEMENT_TABLE
EXPLAIN_TIME	EXPLAIN_TIME	EXPLAIN_TIME
STMT_TYPE	STMT_TYPE	STMT_TYPE
PROCMS	PROCMS	PROCMS
PROCSU	PROCSU	PROCSU
COST_CATEGORY	COST_CATEGORY	COST_CATEGORY
REASON	REASON	REASON
GROUP_MEMBER	GROUP_MEMBER	GROUP_MEMBER
MISCAN (descriptor name)	MISCAN (descriptor name)	MISCAN (descriptor name)
	PLAN_TABLE	PLAN_TABLE
	PREFETCH	PREFETCH
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
TABLECARDF (derived)	TABLECARDF (derived)	TABLECARDF (derived)
DMSROWS	DMSROWS	DMSROWS
IMPREFH	**** REMOVED ****	
SISCAN (descriptor name)	SISCAN (descriptor name)	SISCAN (descriptor name)
INDEX_ORING (descriptor name)	INDEX_ORING (descriptor name)	INDEX_ORING (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)
INDEX_ANDING (descriptor name)	INDEX_ANDING (descriptor name)	INDEX_ANDING (descriptor name)

DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)	IMFF*TABLECARDF (derived)
		XML_VALUE_INDEX_ORING (descriptor name)
		DSN_DETCOST_TABLE
		IMFF*TABLECARDF (derived)
		XML_VALUE_INDEX_ANDING (descriptor name)
		DSN_DETCOST_TABLE
		IMFF*TABLECARDF (derived)
PARALLELPART (descriptor name)	PARALLELPART (descriptor name)	PARALLELPART (descriptor name)
PLAN_TABLE	**** REMOVED ****	
GROUPID (derived)	**** REMOVED ****	
DEGREE (derived)	**** REMOVED ****	
PARALLELISM_MODE	**** REMOVED ****	
	DSN_PGROUP_TABLE	DSN_PGROUP_TABLE
	GROUPID	GROUPID
	LOWKEY	LOWKEY
	HIGHKEY	HIGHKEY
	NKEYCOLS	NKEYCOLS
	FIRSTPAGE	FIRSTPAGE
	LASTPAGE	LASTPAGE
	DEGREE	DEGREE
	RANGKIND	RANGKIND
	STYLE	STYLE
	FIRSTBASE	FIRSTBASE
	MODE	MODE
	BESTTIME	BESTTIME
	LOCALCPU	LOCALCPU
	REASON	REASON
PARALLELMERGE (descriptor name)	PARALLELMERGE (descriptor name)	PARALLELMERGE (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
GROUPID (derived)	GROUPID	GROUPID
DEGREE (derived)	DEGREE	DEGREE
PARALLELISM_MODE	**** REMOVED ****	PARALLELISM_MODE

	STYLE	STYLE
PARALLELTASK (descriptor name)	PARALLELTASK (descriptor name)	PARALLELTASK (descriptor name)
DSN_PTASK_TABLE	DSN_PTASK_TABLE	DSN_PTASK_TABLE
PGDNO	PGDNO	PGDNO
LPTNO	LPTNO	LPTNO
KEYCOLID	KEYCOLID	KEYCOLID
LPTLOKEY	LPTLOKEY	LPTLOKEY
LPTHIKEY	LPTHIKEY	LPTHIKEY
KEYCOLDT	KEYCOLDT	KEYCOLDT
KEYCOLPREC	KEYCOLPREC	KEYCOLPREC
KEYCOLSCAL	KEYCOLSCAL	KEYCOLSCAL
LPTLOPG#	LPTLOPG	LPTLOPG
LPTHIPG#	LPTHIPG	LPTHIPG
LPTLOPT#	LPTLOPT	LPTLOPT
LIPHIPT#	LIPHIPT	LIPHIPT
SEMIJOIN (descriptor name)	SEMIJOIN (descriptor name)	SEMIJOIN (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
SNROWS or COMPCARD (derived)	SNROWS or COMPCARD (derived)	SNROWS or COMPCARD (derived)
GROUPBY (descriptor name)	GROUPBY (descriptor name)	GROUPBY (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
COMPCARD	COMPCARD	COMPCARD
ORDERBY (descriptor name)	ORDERBY (descriptor name)	ORDERBY (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
COMPCARD	COMPCARD	COMPCARD
DISTINCT (descriptor name)	DISTINCT (descriptor name)	DISTINCT (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
COMPCARD	COMPCARD	COMPCARD
WORKFILE_WITH_NAME (descriptor name)	WORKFILE_WITH_NAME (descriptor name)	WORKFILE_WITH_NAME (descriptor name)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE

TNAME	TNAME	TNAME
TABNO	TABNO	TABNO
TABLE_TYPE	TABLE_TYPE	TABLE_TYPE
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS (derived)	DMSROWS (derived)	DMSROWS (derived)
ONECOMPROWS	ONECOMPROWS	ONECOMPROWS
WORKFILE_NO_NAME (descriptor name)	WORKFILE_NO_NAME (descriptor name)	WORKFILE_NO_NAME (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
PREVCARDINALITY (derived)	PREVCARDINALITY (derived)	PREVCARDINALITY (derived)
PRECSXRECSZ (derived)	PRECSXRECSZ (derived)	PRECSXRECSZ (derived)
PLAN_TABLE	PLAN_TABLE	PLAN_TABLE
TABLE_TYPE	TABLE_TYPE	TABLE_TYPE
UNION (descriptor name)	UNION (descriptor name)	UNION (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
SUMPREVCOMPCARD (derived)	SUMPREVCOMPCARD (derived)	SUMPREVCOMPCARD (derived)
		EXCEPT (descriptor name)
		DSN_DETCOST_TABLE
		SUMPREVCOMPCARD (derived)
		INTERSECT (descriptor name)
		DSN_DETCOST_TABLE
		SUMPREVCOMPCARD (derived)
UNION_ALL (descriptor name)	UNION_ALL (descriptor name)	UNION_ALL (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
SUMPREVCOMPCARD (derived)	SUMPREVCOMPCARD (derived)	SUMPREVCOMPCARD (derived)
		EXCEPT_ALL (descriptor name)
		DSN_DETCOST_TABLE
		SUMPREVCOMPCARD (derived)
		INTERSECT_ALL (descriptor name)
		DSN_DETCOST_TABLE

		SUMPREVCOMPCARD (derived)
DELETE (descriptor name)	DELETE (descriptor name)	DELETE (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
COMPCARD	COMPCARD	COMPCARD
		MERGE (descriptor name)
		DSN_DETCOST_TABLE
		SUMPREVCOMPCARD (derived)
UPDATE (descriptor name)	UPDATE (descriptor name)	UPDATE (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
COMPCARD	COMPCARD	COMPCARD
INSERT (descriptor name)	INSERT (descriptor name)	INSERT (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
COMPCARD	COMPCARD	COMPCARD
	TRUNCATE (descriptor name)	TRUNCATE (descriptor name)
	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
	COMPCARD	COMPCARD
WORKFILE_FOR_TABLEFUNCTION (descriptor name)	WORKFILE_FOR_TABLEFUNCTION (descriptor name)	WORKFILE_FOR_TABLEFUNCTION (descriptor name)
DSN_DETCOST_TABLE	DSN_DETCOST_TABLE	DSN_DETCOST_TABLE
DMSROWS	DMSROWS	DMSROWS
		SPARSE_INDEX (descriptor name)
		SPARSE_INDEX_SCAN (descriptor name)
		XML_VALUE_INDEX (descriptor name)
		SYSIBM.SYSINDEXES
		NAME
		CREATOR
		STATSTIME
		UNIQUERULE
		CLUSTERING
		CLUSTERRATIOF

		FIRSTKEYCARDF
		FULLKEYCARDF
		NLEAF
		NLEVELS
		CLUSTERED
		COLCOUNT
		INDEXSPACE
		BPOOL
		PGSIZE
		PADDED
		INDEXTYPE
		ERASERULE
		CLOSERULE
		PIECESIZE
		SPACE
		BIND_TIME (derived)
		TBNAME
		IX_EXTENSION_TYPE
		COMPRESS
		XML_DOCID_INDEX (descriptor name)
		XML_DOCID_INDEX_SCAN (descriptor name)
		DSN_DETCOST_TABLE
		COMPCARD
		XML_VALUE_INDEX_SCAN (descriptor name)
		PLAN_TABLE
		ACCESSTYPE
		MATCHCOLS
		PREFETCH
		DSN_DETCOST_TABLE
		TABLECARDF (derived)
		IMFF*TABLECARDF (derived)
		DMSROWS
		COMPCARD
		IMLEAF

		IMFF
		IMFFADJ
		NUM_QUALIFI_PARTS (derived)
		NUM_TOT_PARTS (derived)
		QUALIFI_PART (derived)
		LEAFPAGES (derived)
PAGERANGE (descriptor name)	PAGERANGE (descriptor name)	PAGERANGE (descriptor name)
DSN_PGRANGE_TABLE	DSN_PGRANGE_TABLE	DSN_PGRANGE_TABLE
NUMPARTS	NUMPARTS	NUMPARTS
FIRSTPART	FIRSTPART	FIRSTPART
LASTPART	LASTPART	LASTPART

content_v8.xml
content_v9.xml